

---

**Fra:** Skorve Erik <Erik.Skorve@bkk.no>  
**Sendt:** mandag 2. juli 2018 15.50  
**Til:** Postmottak Meland  
**Emne:** Sak 18/1334 - Vannlekkasje Sætreviksmarka  
**Vedlegg:** Scanned from a Xerox Multifunction Printer.pdf

Vedlagt følger forespurte skjema signert.

Som det fremgår har jeg ikke funnet lekkasje på egen ledning, men funnet og reparert en mindre lekkasje på felles privat ledning. Vi har gått befarings i nærområdet for om mulig å finne lekkasjer. Hyttefeltet er stort og vi har bare vært i "vår" del. Jeg forutsetter at alle hyttene er tilskrevet - og ikke bare de få som er nevnt i oversendelsen til meg?

Egen privat ledning er delvis nedgravd. Jeg har ikke avdekket hele - men finner ingen tegn til lekkasje. Dersom dere ved befarings har påvist noe på min ledning ber jeg om mer opplysninger.

Ta gjerne kontakt om det er behov for mer informasjon.

Vennlig hilsen Erik Skorve

---

This message and any attachment is intended for the person(s) named above only. It may contain information that is confidential or legally privileged. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately. Thank You.

This footnote confirms that the email and attachment(s) has been swept by our anti-virus solution for the presence of known computer viruses.